

Abrasive Caps and Abrasive Cap Carriers for Podiatry and Foot Care





Smart Tool Solutions at an Attractive Price

In the world of industrial precision machining, we are considered one of the leading international partners for innovative and sophisticated tool solutions.

Renowned companies of different industries appreciate our sound manufacturing and development expertise.

In our customers' process development, we act as consultants and idea generators. In close dialogue we develop intelligent and high performance tool solutions at attractive conditions.

- German manufacturing expertise
- agile product development
- attractive price-performance ratio

Our portfolio ranges from tools for surface processing and cutting operations, to screwdriving and torque technology, to rotating tools and instruments – also for use in podiatry and foot care.

⊕ certified quality management system according to DIN EN ISO 9001:2015

certified environmental management system according to DIN EN ISO 14001:2015

Our tools' sound quality guarantees maximum security and stability to our customers' manufacturing processes.

We ensure a consistently high level of our products by a strictly implemented quality management as part of our integrated management system. In doing so we value the responsible use of our resources and strive for a sustainable environmental and energy balance.

Proximity to our customers enables us to participate actively in the economic and technological development of our target industries. For these purposes we are actively involved in trade associations.

We also take part in committees for standardization, product safety, occupational health and safety, as well as environmental protection.





Efficient and Hygienic Abrasive Caps with Excellent Price-Performance Ratio

Abrasive caps for podiatry and foot care ensure efficient and gentle treatment. Compared to conventional and other rotating instruments for the removal of cornea, podiatry grinding caps offer several advantages:

- ① maximum hygiene due to single use
- comfortable application due to low contact pressure
- ⊕ safe and gentle treatment



Choose from different shapes and grains – from extra coarse to fine – to always get the perfect result for your particular application.

dismounting.

Use the corresponding HARDY abrasive cap carrier – tight tolerances guarantee a perfect hold during the application and allow easy mounting and



»Working faster and more energy-saving: I bet on HARDY caps and even save money.«

HARDY abrasive cap carriers are suitable for all commercially available handpieces with shaft 2.35 mm.

The abrasive cap carriers can be cleaned and reconditioned easily – this saves resources and budget.




You need a different color for your abrasive cap? - Please contact us!



Abrasive Caps





	Description	D1 mm	L₂ mm					
Shape				A60 (extra coarse)	A80 (coarse)	A150 (medium)	A240 (fine)	Packaging Unit*
	SKA 1015	10	15	G1000483	G1000484	-	-	10 100
	SKC 0511	5	11	G1000541	G1000184	G1000212	_	10 100
	SKC 0713	7	13	G1000245	G1000266	G1000270	-	10 100
	SKC 1015	10	15	G1000279	G1000282	G1000303	G1000340	10 100
	SKC 1319	13	19	G1000380	G1000417	G1000468	G1000469	10 100
	SKC 1626	16	26	G1000470	G1000471	G1000472	G1000473	10 100
\square	SKG 0713	7	13	-	G1000474	G1000475	-	10 100
\bigcirc	SKG 1015	10	15	-	G1000476	G1000477	-	10 100
\bigcirc	SKG 1319	13	19	-	G1000479	G1000480	-	10 100
	SKG 1626	16	26	-	G1000481	G1000482	-	10 100

*All items are available from stock – packed by 10 pieces in PE bag or 100 pieces in carton. **Please ask for further dimensions, packaging units and forms.**

Request now free of charge!

Test kit in diameter 10 mm (item number G1000682)

△ info@hardy-industrie.de
▲ +49 2354 7068-300



Abrasive Cap Carriers						L_1 D_1 D_1		
Shape	Description	D₁ mm	L₂ mm	D₂ mm	L₁ mm	Item Number	Packaging Unit*	
	GTA 1015	10	15	2,35	55	G1000493	5	
	GTC 0511	5	11	2,35	51	G1000209	5	
	GTC 0713	7	13	2,35	53	G1000485	5	
	GTC 1015	5	10	2,35	50	G1000486	5	
	GTC 1319	13	19	2,35	59	G1000487	5	
	GTC 1616	16	26	2,35	66	G1000488	5	
	GTG 0713	7	10	2,35	53	G1000489	5	
	GTG 1015	10	15	2,35	55	G1000490	5	
	GTG 1319	13	19	2,35	59	G1000491	5	
	GTG 1626	16	26	2,35	66	G1000492	5	

*All items are available from stock – packed by 5 pieces in PE bag. Please ask for further dimensions, packaging units and forms.

Please note the following application instructions:

Grit Size	Арр	olication	RPM		
extra coarse	>>>>	Removal of extreme, very coarse cornea	recommended		
coarse	>>>>	Removal of coarse cornea	(T)		
medium	>>>>	Removal of fine cornea	7,000-10,000		
fine	>>>>	Skin smoothening	maximum		

11,000



Contact

HARDY Industriewerkzeuge und Anlagen GmbH Auf der Koppel 7 58540 Meinerzhagen (Germany)

- **C** +49 2354 7068-300
- +49 2354 7068-398
- ᢙ info@hardy-industrie.de